



Test Report

Date : 2022-10-25
No. : HC22100715

Page 1 of 2

Applicant (Code:01325334) : Art Beauty Group Company Limited
Unit 2305 Apec Plaza
49 Hoi Yuen Road
Kwun Tong Kln HK

Description of Sample(s) : One submitted sample said to be 消毒藥水.

Sample(s) Received Condition(s): In sterile bottle under ambient temperature

Date Sample(s) Received : 2022-09-23 and 2022-10-11

Date Tested : 2022-09-27 to 2022-09-29 and 2022-10-12 to 2022-10-14

Investigation Requested : Assessment of Antimicrobial Activity Using a Time-Kill Procedure by using test culture :
- *Streptococcus pneumoniae* 肺炎鏈球菌 (NTCC 7465)

Method(s) Used : ASTM E2315-2016 (contact time : 30 seconds ; dilute 1:10)

MAK Yun Lam, Daniel
Authorized Signatory
Chemical and Food Department
For and on behalf of

The Hong Kong Standards and Testing Centre Ltd.



In the event of any discrepancy between the English and Chinese versions of the text mentioned before, the English version shall prevail to the extent of such discrepancy only.

The Hong Kong Standards and Testing Centre Limited 香港標準及檢定中心有限公司

10 Dai Wang Street, Tai Po Industrial Estate, Tai Po, N.T., Hong Kong 香港新界大埔工業邨大宏街 10 號

Tel 電話 : +852 2666 1888 Fax 傳真 : +852 2664 4353 Email 電郵 : hkstc@stc.group Website 網址 : www.stc.group

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited.

For Conditions of Issuance of this test report, please refer to the overleaf and Website.

除非事先得到香港標準及檢定中心有限公司的書面批准，否則不得自行複印此報告。測試報告相關的簽發條款，請參閱背頁和本公司網頁。



Test Report

Date : 2022-10-25
No. : HC22100715

Page 2 of 2

Test Result(s):

Test Trial	消毒藥水
	<i>Streptococcus pneumoniae</i> 肺炎鏈球菌 (NTCC 7465)
Average of controls (CFU/ml)	475,000
Average of samples (CFU/ml)	<10
Bacteria Reduction Rate	>99.99%

Notes: - CFU/ml denotes Colony Forming Unit per milliliter

- > denotes larger than

- Bacteria Reduction Rate = $\frac{\text{Average of controls} - \text{Average of samples}}{\text{Average of controls}} \times 100$

***** End of Test Report *****

The Hong Kong Standards and Testing Centre Limited 香港標準及檢定中心有限公司

10 Dai Wang Street, Tai Po Industrial Estate, Tai Po, N.T., Hong Kong 香港新界大埔工業邨大宏街 10 號

Tel 電話 : +852 2666 1888 Fax 傳真 : +852 2664 4353 Email 電郵 : hkstc@stc.group Website 網址 : www.stc.group

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited.

For Conditions of Issuance of this test report, please refer to the overleaf and Website.

除非事先得到香港標準及檢定中心有限公司的書面批准，否則不得自行複印此報告。測試報告相關的簽發條款，請參閱背頁和本公司網頁。