



Test Report

Date : 2022-12-06
No. : HC22120300

Page 1 of 2

Applicant (Code:01325334) : Art Beauty Group Company Limited
Unit 2305 Apec Plaza
49 Hoi Yuen Road
Kwun Tong Kln HK

Description of Sample(s) : One submitted sample said to be Liquid Hand Sanitizer.

Sample(s) Received Condition(s): In plastic bottle under ambient temperature

Date Sample(s) Received : 2022-11-18

Date Tested : 2022-11-25 to 2022-11-28

Investigation Requested : Assessment of Antimicrobial Activity Using a Time-Kill Procedure by using test culture :
Legionella pneumophila 退伍軍人桿菌 (NCTC 11404)

Method(s) Used : ASTM E2315-2016 (contact time : 30 seconds)

LAU Yuk Kuen, Joey
Authorized Signatory
Chemical and Food Department
For and on behalf of

The Hong Kong Standards and Testing Centre Ltd.



In the event of any discrepancy between the English and Chinese versions of the text mentioned before, the English version shall prevail to the extent of such discrepancy only.

The Hong Kong Standards and Testing Centre Limited 香港標準及檢定中心有限公司

10 Dai Wang Street, Tai Po Industrial Estate, Tai Po, N.T., Hong Kong 香港新界大埔工業邨大宏街10號

Tel 電話: +852 2666 1888 Fax 傳真: +852 2664 4353 Email 電郵: hkstc@stc.group / Website 網址: www.stc.group

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited.

For Conditions of Issuance of this test report, please refer to the overleaf and website.

除非事先得到香港標準及檢定中心有限公司的書面批准，否則不得自行複印此報告。測試報告相關的簽發條款，請參閱背頁和本公司網頁。



Test Report

Date : 2022-12-06
No. : HC22120300

Page 2 of 2

Test Result(s):

Test Trial	Liquid Hand Sanitizer
	<i>Legionella pneumophila</i> 退伍軍人桿菌 (NCTC 11404)
Average of controls (CFU/ml)	52,000,000
Average of samples (CFU/ml)	6,875
Bacteria Reduction Rate	99.99%

Notes: - CFU/ml denotes Colony Forming Unit per milliliter

- Bacteria Reduction Rate = $\frac{\text{Average of controls} - \text{Average of samples}}{\text{Average of controls}} \times 100$

***** End of Test Report *****

The Hong Kong Standards and Testing Centre Limited 香港標準及檢定中心有限公司

10 Dai Wang Street, Tai Po Industrial Estate, Tai Po, N.T., Hong Kong 香港新界大埔工業邨大宏街10號

Tel 電話: +852 2666 1888 Fax 傳真: +852 2664 4353 Email 電郵: hkstc@stc.group Website 網址: www.stc.group

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited.

For Conditions of Issuance of this test report, please refer to the overleaf and website.

除非事先得到香港標準及檢定中心有限公司的書面批准，否則不得自行複印此報告。測試報告相關的簽發條款，請參閱背頁和本公司網頁。